



异丙胺质检报告单  
CERTIFICATE OF ANALYSIS

产品名称 Product Name	异丙胺	检测日期 Testing Date	2026-04-14
检测依据 Testing Reference	GB/T 23965-2023	取样地点 Sample Location	GQ-03
样品数量 Sample Quantity	500g	批号 Batch No.	20260414008
检验项目 Item	指标要求 Standard		检验结果 Result
外观 Appearance	透明液体, 无可见杂质 Transparent liquid, without visible impurities		符合指标 Conformity
一异丙胺 Isopropylamine	w/%	≥ 99.7	99.92
色度 (Pt-Co) Chroma	Hazen	≤ 15	10
水分 Water	w/%	≤ 0.1	0.02
二异丙胺 Diisopropylamine	w/%	≤ 0.1	< 0.01
异丙醇 Isopropyl alcohol	w/%	≤ 0.1	< 0.01
丙酮+异丙基叉异丙胺 Acetone + isopropylidene isopropylamine	w/%	≤ 0.2	0.06
氨 ammonia	w/%	≤ 0.1	0.01
以下空白 Below blank	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
结论 Conclusion	<div style="border: 2px solid red; padding: 5px; display: inline-block;"> <b>合格</b>  <b>QUALIFIED</b> </div>		填报/检验 Edited/Analyst 李明光
			审核 Checked 张德坤
			批准 Approved 赵晓燕